




Complies with MIL-S-45743E, DOD-STD-2000-1B, MIL-STD-2000 WS6536E and ESD SPEC, DOD-STD-1686, DOD-HDBK-263.

The 3 very important factors involved when working with the ATMOSCOPE SMD Hot Air Tool are **amount** of air output, temperature setting and type of Tip used. The key to an effective soldering is to reflow the solder without blowing the solder across the board and thus creating bridges.

1. Have the proper Tip installed.

**OPERATION** 


- 2. Connect Hose to regulated air source.
- 3. Plugged-in Tool to a power source and set desired temperature.
- 4. Turn on the air and adjust pressure.
- Direct hot air towards the connection until solder melts. Using "SMD helpers" will make your job easier.



**CHANGING TIPS** Efficiency is greatly dependent on choosing the proper tip to meet each application.

 Turn Tip counter-clockwise by using a WT618 Tip Wrench. (set of 2, the other is to hold the RS321 Retaining Sleeve) or use a WT620.

2. Remove and replace with desired Tip.



**REWORKING SMDs**The following techniques are based on the manufacturer's point of view and should only serve as guidelines. It's effectiveness will depend on practice.

#### INSTRUCTIONAL VIDEOS AVAILABLE ON 30 DAY LOAN. CALL EDSYN.

### METHOD 1 (RECOMMENDED FOR GULLWINGS, LEADLESS CHIP CARRIERS and QUAD I.Cs.)

- 1. Install the proper Tip.
- 2. Adjust air output to 3-4 psi.
- 3. Set temperature to 700°F.
- Using a WS630 SMD Pull Wire, thread the pullwire under the leads of one side of the SMD and again thread the wire under the leads of the opposite side.
- Anchor one end of the Pull Wire to an unused hole of the circuit board or maybe tape it securely to the board.
- While directing hot air to the leads of the first side, pull the wire so that it will cut thru the solder connection.
- After removing the two opposing side follow the same procedure to desolder the remaining sides.






- 8. To resolder, use a tweezer to hold SMD in place and align the leads with the pads.
- Use a Fan Tip whose width is as close to the size of the SMD leads as possible.
- 10.Direct hot air on the leads and allow solder to reflow. Release SMD when solder solidifies.

## METHOD 2 (RECOMMENDED FOR LEADLESS CHIP CARRIERS)

- 1. Have the proper Tip installed.
- 2. Adjust air output to about 3-4 psi.
- 3. Set temperature to 700°F.
- 4. Heat up one corner of the SMD.
- When the solder melts, insert the shimblade of SMD helper under the heated area of the chip as if cutting thru the solder connection.
- While directing hot air ahead of the shim at all times, cut thru the sides of the SMD and lift it up from the board.
- 7. To resolder, use a Quadra-Flow Tip.



#### METHOD 3

- Use a Dual Flow Tip whose width comes closes to the width of the SMD component leads.
- 2. Adjust temperature to about 750°F.
- 3. Adjust air output at around 3-5 psi.
- Position Tool on top of the SMD (air is directed on both sides of the connection) and move back and forth, until solder melts.
- 5. Lift SMD off the board by using a pair of tweezers.
- 6. To resolder, use a tweezer to hold SMD in place and align leads with the pad.
- 7. Direct hot air to the leads and reflow the solder. Release SMD when solder solidifies.



#### SMD Hot Air Quadra-Flow Tips ALWAYS USE PD529 or PD529A TOOL PODS

Fractional dimensions are approx.

Fractional dimensions are approx					
PART NO.	AxB		FITS PACKAGE		
PARTINO.	( in.)	( mm )	(for reference only)		
LT494	.45 x 1.05 29/64 x 13/64	11.4 x 26.7	SOJ-40		
LT482	.47 x .58 15/32 x 37/64	11.9 x 14.6	LCCC-32R		
LT472S	.48 x .48 31/64 x 31/64	12.2 x 12.2			
LT472	.49 x .49 1/2 x 1/2	12.4 x 12.4	LCCC-28		
LT456	. <b>50 x .50</b> 1/2 x 1/2	12.7 x 12.7	PLCC-28		
LT485	. <b>52 x .64</b> 33/64 x 44/64	13.2 x 16.2			
LT463	.60 x .60 39/64 x 39/64	15.2 x 15.2			
LT468**	.66 x .90 21/32 x 29/32	16.8 x 22.9	QFP-100		
LT458**	.70 x .70 45/64 x 45/64	17.8 x 17.8	PLCC44 LCCC-44		
LT491**	. <b>71 x .94</b> 23/32 x 15/16	18.0 x 23.9			
LT477**	. <b>75 x 1.00</b> <sub>1/4</sub> x 1	19.0 x 25.4	LCCC-84		
LT459**	.80 x .80 51/64 x 51/64	20.3 x 20.3	PLCC-52		
LT459-1	Slotted Corners (slot size: 0.125 x 200 depth)				
LT492**	.85 x .85 55/64 x 55/64	21.6 x 21.6			
§ LT460**	1.0 x 1.0 1 x 1	25.4 x 25.4	PLCC-68		
§ LT460-1	Slotted Corners				
§ LT488**	1.17 x 1.17 111/64 x 111/64	29.7 x 29.7	QFP-144		

<sup>\*</sup>RN432 not required in Application set up

<sup>\*\*</sup>Comes w/ RN433

<sup>§</sup> May need to preheat PCB with hot plates.

See Catalog for SMD Helpers, Pull Wires and other tools used in aiding SMD removal and placing.

SMD, not on the SMD.

SMD Hot Air Tips Part Hole Application Description L W No. Dia. Jet Tip .02 in. .38 in. for pin point LT427 1/64 in. 3/8 in air flow. (0.6 mm)(9.5 mm) Hole Dia Short Jet Tip .04 in. .06 in. for medium LT432 3/64 in. air 1/16 in. (0.9 mm)(1.5 mm) **Turbo Flow** .06 in. .25 in. for large LT428 air flow. 1/16 in. 1/4 in. (1.5 mm)(6.4 mm) Fan Tips .17 in. .30 in. use a wide air flow LT426 5/16 in. 3/16 in. enough to cover (4.3 mm) (7.6mm)one whole side of the SMD. .46 in. .23 in. LT434 15/64 in. 15/32 in. .020 in (11.7 mm) (5.7 mm)(.5 mm) .35 in. .59 in. LT435 19/32 in. 3/8 in. (14.9 mm)  $(8.9 \, \text{mm})$ .43 in. .65 in. LT436 21/32 in. 7/16 in. (16.5 mm) (10.8 mm) Dual Flow Tips blow hot .03 in. .30 in. .12 in. air on both sides of the 1/32 in. 5/16 in 1/8 in. LT526

(0.8 mm)

.**05 in.** 3/64 in

(1.2 mm)

LT534

LT535

LT536

Hole Dia

(7.6 mm)

15/32 in. (11.7 mm)

.59 in.

19/32 in.

(14.9 mm)

.65 in.

21/32 in.

(16.5 mm)

(3.2 mm)

.20 in.

13/64 in.

(5.1 mm)

.28 in.

17/64 in.

(7.0 mm)

.35 in.

23/64 in. (8.9 mm)


Apply AN112 or AN122 ANTI-SEIZE COMPOUND

To Heater and Area of Tip Contact. AN122 comes in syringe dispenser.

# SMD Hot Air Quadra-Flow Tips ALWAYS USE PD529 or PD529A TOOL PODS

Quadra-Flow Tips

Quadra-Flow Tips create an "oven-like" condition around the SMD.Increase air output as you increase the size of the Tip.




Use WT620 Tip Wrench to install Tips with RN432 or RN433



RN433

RN432

Use a PD529 to hold Hot Air Tool with large Quadra-



	Fractional dimensions are approx			
PART NO.	( in.)	( mm )	FITS PACKAGE (for reference only)	
LT448*	.21 x .35 7/32 x 11/32	5.3 x 8.9	SO-14	
LT483*	.25 x .43	6.4 x 10.9	Ceramic DIP 16	
LT489	.25 x .78	6.4 x 19.8		
LT449	.26 x .41 1/4 x 13/32	6.6 x 10.4	SO-16	
LT480	.31 x .52 5/16 x 33/64	7.9 x 13.2	LCCC-22R	
LT478	.32 x .45 5/16 x 29/64	8.0 x 11.4	LCCC-18R	
LT462	.34 x .55 11/32 x 35/64	8.7 x 13.9	PLCC-18	
LT470*	.36 x .36 23/64 x 23/64	9.2 x 9.2	LCCC-20	
LT487	.36 x .60 23/64 x 39/64	9.1 x 15.2		
LT452	.38 x .52 3/8 x 33/64	9.5 x 13.2	SO-20L	
LT481	.38 x .58 3/8 x 37/64	9.5 x 14.6	LCCC-28R	
LT455	.40 x .40 13/32 x 13/32	10.2 x 10.2	PLCC-20	
LT486	.40 x .60 13/32 x 13/64	10.2 x 15.3		
LT484	.40 x .79 13/32 x 51/64	10.2 x 10.2	SOJ-20	
LT450	. <b>42 X .43</b> 7/16 X 7/16	10.7 X 10.9	SO-16L	
LT454	.43 x .73 7/16 x 18.6	10.9 x 18.6	SO-28L	
LT451	.44 X .48 7/16 X 31/64	11.2 X12.2	SO-18L	
LT493	. <b>45 x</b> . <b>85</b> 29/64 x 55/64	11.3 x 21.6	SOJ-32	


<sup>\*</sup>RN432 not required in Application set up

<sup>\*\*</sup>Comes w/ RN433

#### LONER® Hot Air Curl Tips

Fractional dimensions are approx.

DESCRIPTION		PART NO.	NOZZLE INSIDE DIA.
HOT AIR CURL TIP For soldering	JET	<b>LT510</b> .023 in. 1/32 (0.6 r	
& desoldering SMDs using a curve air flow for hard to reach	SMALL TURBO	LT511	.062 in. 1/16 (1.6mm)
places.	MEDIUM TURBO	LT512	.073 in. 5/64 (1.9 mm)
***************************************	LARGE TURBO	LT513	.101 in. 7/64 (2.6 mm)



#### **TOOL MAINTENANCE**

· Replace cracked Hose.

Make sure HT495 Hot Tube is not clogged.
 Replace worn-out OS139 O-rings.

Heater OS139

CC355

RS321

HT495

#### **TROUBLESHOOTING**

TROUBLEUM OF THE			
Symptom	Cause	Remedy	
Tool does not heat up.	a) Open Heater element.	a) Send to Factory.	
Weak or no air output.	a) Leak along the air lines and O-rings inside Heater assembly. b) Clogged RS321 or clogged Tip. c) Dirty CC355 Chamber Coil.	a) Make sure all connections are properly installed. Replace cracked hoses and O-rings.     b) Clean Air passages in the RS321 and Tip.     c) Clean CC355.	

#### TEMPERATURE CALIBRATION

- 1. Use the **DS299S** to remove the temperature control knob. Remove RS321 sleeve. Turn temp, control (A) so arrow points to cord.
- 2. Use the SRW01 to pull out heater assembly, PCB & power cord from handle. Leave enough power cord slack to install SRF30.
- 3. Place heater assembly, PCB & power cord inside SRF30. Install RS321 and connect to air source.

Items Needed


- SRW01
- DS299S
- SRF30
- MS412
- TPL09-1

SD418



SD418


Calibration Pot (B) Temp. Control (A) original handle SRF30



- place the center of the thermocouple wire of the SDS100 inside the slot of TPL09-1 locator. Use only CLEAN thermocouple wires.
- Turn on air, adjust to 5 scfh airflow.
- 7. Turn temp. control (A) fully clockwise. Adjust calibration pot (B) until reading stabilizes at 850°F.
- 8. Assemble unit in original handle.

# FA493I ATMOSCOPE<sub>®</sub> SMD HOT AIR TOOL SPARE PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY REQ'D
1	HS307	Hose, Low Static Silicone (Sold Per Foot)	5 ft.
2	SR072	230 V Hollow Heater Assembly for FA493I	1
3	SR081	Vinyl Finger Grip	1
4	RC349	Threaded Retaining Collar	1
5	OS139	O-Ring, Silicone, for FA069 (Set of 2)	1 set
6	CC355	Chamber Coil for FA069 Hot Air Tool	1
7	RS321	Retaining Sleeve for FA069 Hot Air Tool	1
8	HT495	Hot Tube for FA069 Hot Air Tool	1
9	LT428	LONER® S.M.D. Hot Air Turbo Flow Tip	1
10	SR028	Power Cord, 3-Prong, 120 VAC	1
11	SR029	Boot for Power Cord	1
12	SR030	Clear Handle for Model 930	1
13	SR031	Knob, Temperature Control for Clear Handle	1
14	SR111	Logo, 3/8" Dia. Aluminum, Self Adhesive	1
15	SR032	Cord Strain Relief	1
16	SR105	Circuit Board, Model 930, 230V	1



15958 Arminta Street • Van Nuys • CA 91406-1896 Web Site www.edsyn.com • eMail info@edsyn.com FORM.??? Rev